

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of)
Yvonne Appoldt et al.)
Patent No.: 7,651,664)
Issued: January 26, 2010)
Title: APPARATUS AND METHOD FOR)
PREPARING SOLUTIONS AND/OR)
DILUTIONS IN THE LABORATORY)

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Issuance of a Certificate of Correction for the above-captioned patent is respectfully requested in accordance with the accompanying Form PTO-1050 (submitted in duplicate).

- ☒ The requisite government fee of \$ 100:
- ☐ is authorized to be charged to Deposit Account No. 02-4800; or
- ☒ charge to credit card. Form PTO-2038 is attached.
- ☐ It is believed that payment of a fee is unnecessary.
[Enter description of documents being submitted]


The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. § 1.20(a) that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: October 13, 2010

By:


Scott W. Cummings
Registration No. 41,567

Customer No. 21839
703 836 6620

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,651,664
APPLICATION NO. : 10/786,580
ISSUE DATE : January 26, 2010
INVENTOR(S) : Yvonne Appoldt et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the front page of the Letters Patent, under Assignee, please change:

"Mettler-Toledo GmbH" to --Mettler-Toledo AG--.

Claim 10, Column 13, Line 6, change "of electronic the pipettes," to --of electronic pipettes--.

Claim 12, Column 13, Lines 2-3, change "which controls the dosage delivery device calls," to -- which controls the electronic pipettes calls--.

Claim 22, Column 14, Line 11, change "selected device;" to --selected pipette device--.

MAILING ADDRESS OF SENDER:

PATENT NO. 7,651,664

BUCHANAN INGERSOLL & ROONEY PC
P.O. Box 1404
Alexandria, VA 22313-1404

No. of additional copies



0

SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450